Date:

Tuesday, 01/05/2007 2:25:00 PM

User:

Linda Lacelle

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services

Job Number : 31862 **Estimate Number** : 12674

:NIA P.O. Number

: 01/05/2007 This Issue

Prsht Rev. First Issue

: 31862

S.O. No. : N/A

: MACHINED PARTS Type

New Issue 07-01-29 JLM

Part Number

Drawing Name

: D35733 : D3573 REV.A

: ADAPTER

Drawing Number Project Number

: N/A **Drawing Revision**

Material : 13/05/2007 **Due Date**

Each

Additional Product

Checked & Approved By

Previous Run

Written By

Comment

Job Number:



Seq. #:

Description:

1.0 M6061T6B0500X02500



6061-T6 Bar .50" x 2.5"



Comment: Qty.:

0.3066 f(s)/Unit Total: 18.3960 f(s)

6061-T6 Bar .50" x 2.5" Batch: M/0 3 4 33

2.0

BAND SAW

BAND SAW



Comment: BAND SAW

Cut blank 3.500" long

3.0

HAAS1



Comment: HAAS CNC VERTICAL MACHINING #1

Machine as per Folio FA673 and Dwg D3573

4.0

QC2



Comment: INSPECT PARTS AS THEY COME OFF MACHINE



QC8

SECOND CHECK





Comment: SECOND CHECK



6.0

HAND FINISHING

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1



Date:

Tuesday, 01/05/2007 2:25:00 PM

User:

Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: ADAPTER

Job Number: 31862

Part Number: D35733

Job Number:



Seq. #:

Machine Or Operation:

Description:

7.0

POWDER COATING

POWDER COATING 1601601

Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONV



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:



10.0

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE



Job Completion



W 07.05.15

Tuesday, 4/17/2007 11:13:26 AM

User: Kim Johnston

Process Sheet

: ADAPTER : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 31862 : 12674 **Estimate Number** : D35733 P.O. Number **Part Number** · UNDER REVIEW **Drawing Number** : 4/17/2007 S.O. No. : This Issue : N/A Project Number : NC Prsht Rev. : U/R : MACHINED PARTS **Drawing Revision** First Issue : // Type : 31740 Material Previous Run Each : 5/12/2007 Qty: 60 Um: Due Date Written By Checked & Approved By : Est Rev:A New Issue 07-01-29 JLM Comment **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 6061-T6 Bar .50" x 2.5" 1.0 M6061T6B0500X02500 18.3960 f(s) Comment: Qtv.: Total: 0.3066 f(s)/Unit 6061-T6 Bar .50" x 2.5" Batch: BAND SAW 2.0 BAND SAW Comment: BAND SAW Cut blank 3.500" long HAAS CNC VERTICAL MACHINING #1 3.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 Machine as per Folio FA673 and Dwg D3573 AS THEY COME OFF MACHINE INSPECT PARTS 4.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 5.0 QC8 Comment: SECOND CHECK HAND FINISHING RESOURCE #1 HAND FINISHING1 6.0 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1

W/O:			W	ORK ORDER CHANG	ES				
DATE STEP			PROCEDURE CH	ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		İ							
-									
Part No	•	PAR #:	Fault Cate	egory:	_ NCR: Yes	No DQ	A:	_ Date: _	
					QA:	N/C Close	d:	Date:	
NCR:			WORK ORD	ER NON-CONFORM	ANCE (NC	R)			
D.4.TE		Description of NC	Description of NC Corrective Action Section			Verifica		ion Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Dat	& Secti		Chief Eng	QC Inspector

NOTE: Date & initial all entries

Tuesday, 4/17/2007 11:13:26 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: ADAPTER Customer: CU-DAR001 Dart Helicopters Services Part Number: D35733 Job Number: 31862 Job Number: Description: Seq. #: Machine Or Operation: POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3 5.6) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSION 8.0 QC3 POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 PACKAGING 1 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTIONW/O RELEASE 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion


Dart Aerospace	• Ltd.
----------------	--------

Dart Ae	rospace I	Ltd							
W /O:			WC	ORK ORDER CHANG	SES				
DATE	STEP	PI	ROCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
							į		
····		· i							:
Part No):	PAR #:	Fault Cate	gory:	_ NCR: Yes 1	No DQA:		Date:	
		į	QA: N/C Closed:			Date:			
NCR:			WORK ORDI	ER NON-CONFORM	ANCE (NCR))			
DATE	STEP	Description of NC	NC Corrective Action Section B		Verification		Approval Approva	Approval	
DAIL	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section		Chief Eng	QC Inspector
	,								
								<u></u>	
		i							
		1							

NOTE: Date & initial all entries



DESIG	V	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECK	ED	APPROVED,	DRAWING NO.	REV.
6	24	- 1	D3573	SHEET 1 OF
DATE		· · · · · · · · · · · · · · · · · · ·	TITLE	SCAL
	07.0	2.19	ADAPTER	1
REV		DATE		DESCRIPTION
Α		07.02.19	NEW ISSUE	



NOTES:

1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR

PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116 OR AMS 4160

(REF DART SPEC M6061T6B)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) IDENTIFY WITH DART P/N "D3573-1" USING FINE POINT PERMANENT INK MARKER 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX

COPYRIGHT © 2007 BY DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




1

DRAWN BY DESIGN HAVVKESBUR I FUNTARIU, CANADA DRAWING NO. REV. A CHECKED **APPROV** PH D3573 SHEET 3 OF 4 DATE TITLE **SCALE** 07.02.19 ADAPTER

> SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER





1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116 OR AMS 4160

(REF DART SPEC M6061T6B)

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) IDENTIFY WITH DART P/N "D3573-5" USING FINE POINT PERMANENT INK MARKER 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX


COPYRIGHT © 2007 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED PH	APPROVED	D3573	REV. A SHEET 4 OF 4	
DATE 07.0	2.19	TITLE ADAPTER	SCALE 1:1	





D3573-7 ADAPTER (SHOWN) D3573-8 ADAPTER (OPPOSITE) UNCONTROLLED COPY

RETURN TO ENGINEERING SUBJECT TO AMENDMENT WITHOUT NOTICE

NOTES:

1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116 OR AMS 4160

(REF DART SPEC M6061T6B)


2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) IDENTIFY WITH DART P/N "D3573-7/-8" USING FINE POINT PERMANENT INK MARKER

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX

COPYRIGHT © 2007 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DART AEROSPACE LTD	Work Order:	31862
		3 2
Description: / Japte/	Part Number:	35733
Inspection Dwg: DS573 Rev: H		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototyp
---	---------------	----------

		•				
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
3.31	- 030	3,315				·
2.69	± -050	2689				
2.3/	030	2.3/				
ts. 600	~.010	1559				
36	2-030	360				
. 48	7-030	.479				
1.420	± .010	1.420			<u>*</u>	
2,38	1.030	2.378				
R,130	1-030	R.125	/			
0 .266	* .006 -004 L.006	0.268				
0.209	2-001	6.211				
Ø.500 ===		d, 487				
J.310	-1010	.307				
0.673	7.006	£306	K /			
J 190	610	.184				
.390	+ .016	.397				
	· *					
	·					


Measured by:	Audited by:	Prototype Approval:	41.
Date: 07.05.05	Date: 07/05/10	Date:	10/14

Rev	Date	Change	Revised by	Approved
Α.,		New Issue	KJ/JLM	



DESIGN DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED PH	APPROVED	DRAWING NO.	REV. A SHEET 2 OF 4	
DATE 07.0	2.19	TITLE ADAPTER	SCALE 1:1	





D3573-3 ADAPTER

SHOP COPY RETURN TO ENGINEERING. UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

NOTES:
1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR
PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116 OR AMS 4160
(REF DART SPEC M6061T6B)

(REF DART SPEC M6061T6B)

POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) IDENTIFY WITH DART P/N "D3573-3" USING FINE POINT PERMANENT INK MARKER

5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX

COPYRIGHT © 2007 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPO OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.